




برنامج علاج الفراولة

PROGRAMME DE TRAITEMENT DU FRAISIER



STADES PHÉNOLOGIQUES DU FRAISIER



UTILISATIONS

	Acariens	Apollo 50 SC (40 cc/ha) - Flèche (50 cc/hl) - Pixel (50 cc/hl) - Majorcide (200 cc/hl) - Eradicoat (1,6l/hl)
	Pucerons	Deltaplan Expert (30 cc/hl)
	Thrips	Limocide (400 cc/hl)
	Noctuelles	Extra BT 32000 (50 g/hl)
	Oïdium	AQ 10 (50 g/ha) - Saphyr 250 SC (0,8 l/ha)
	Botrytis	Biobac (150 g/hl) - Limocide (400 cc/hl) - Clortosip (200 g/hl) - Thiramchim 80 (250 g/hl)
	Grossissement fruits homogénéité du calibre	Fengib (60 cc/hl)
	Salinité	Stop Sel par fertigation (40 à 60 l/ha) ou par irrigation (60 à 90 l/ha)
	Carences	Magnofol (300 à 600 cc/hl) - Blackjak (2 à 3 l/ha) - Humasol (1 à 2,5 kg/ha) - Humavert 80 (1 à 3 kg/ha) - Tonofol (400 cc/hl) - Liqui-k (300 g/hl) - Perfectose (5 l/ha) - Efficient (5 à 10 l/ha) - Ferqueztene (5 kg/ha) - Maxifer (5 kg/ha) - Oxicalc (2l/ha) - Penalty (200 à 300 cc/hl) - Bormax (1l/ha)